



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446



ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Ka Back Door

Test / COC #: 1062626
Sample ID: 1062626-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	4.1 ppb	0 to 15 ppb	Pass

BDL = Below detection limit; **cfu** = colony forming units; **mg/L** = milligrams per liter; **ntu** = nephelometric turbidity units
pH = acidity/alkalinity units; **ppm** = parts per million; **ppb** = parts per billion; **µS/cm** = microSiemens per centimeter
U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
ET = Analyte detected; **ND** = Analyte not detected at or above the detection limit; **NR** = Not reported; **dry** = Sample results reported on a dry weight basis.
.PT = Relative percent difference; **V** = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Kb Front Door

Test / COC #: 1062625
Sample ID: 1062625-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



Carlos Ochoa, Quality Control Manager

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Kb Back Door

Test / COC #: 1062619
Sample ID: 1062619-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; **cfu** = colony forming units; **mg/L** = milligrams per liter; **ntu** = nephelometric turbidity units
pH = acidity/alkalinity units; **ppm** = parts per million; **ppb** = parts per billion; **µS/cm** = microSiemens per centimeter
U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
DET = Analyte detected; **ND** = Analyte not detected at or above the detection limit; **NR** = Not reported; **dry** = Sample results reported on a dry weight basis.
RPT = Relative percent difference; **V** = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

GOLETA UNION SCHOOL DISTRICT
5669 HOLLISTER AVE
GOLETA, CA 93117

Test Address:

FOOTHILL SCHOOL
711 RIBERADRIIVE
SANTA BARBARA, CA 93111

Email: jwalker@goletak12.ca.us
Phone: (805) 681-1231

Sample Date: September 28, 2017
Date Received: October 4, 2017
Analysis Date:
Report Date: October 6, 2017
Sample Location: Room Kc

Test / COC #: 1076192
Sample ID: 1076192-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Kc Outside By Rr

Test / COC #: 1062600
Sample ID: 1062600-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	3.8 ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 M = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



 Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Outside Ka/kb Fount

Test / COC #: 1062620
Sample ID: 1062620-1

CERTIFICATE OF WATER ANALYSIS

Table with 4 columns: TEST ITEM, RESULT, ACCEPTABLE RANGE, DETERMINATION. Row 1: LEAD, ND ppb, 0 to 15 ppb, Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; uS/cm = microSiemens per centimeter
U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
ET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
PT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: http://water.epa.gov/drink/contaminants/index.cfm

Handwritten signature of Carlos Ochoa

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Inside Btwn Ka&kb

Test / COC #: 1062602
Sample ID: 1062602-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	3.5 ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 ET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 .RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



 Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 1

Test / COC #: 1062609
Sample ID: 1062609-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; **cfu** = colony forming units; **mg/L** = milligrams per liter; **ntu** = nephelometric turbidity units
pH = acidity/alkalinity units; **ppm** = parts per million; **ppb** = parts per billion; **µS/cm** = microSiemens per centimeter
U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
DET = Analyte detected; **ND** = Analyte not detected at or above the detection limit; **NR** = Not reported; **dry** = Sample results reported on a dry weight basis.
RPD = Relative percent difference; **V** = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 2

Test / COC #: 1062603
Sample ID: 1062603-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



 Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

GOLETA UNION SCHOOL DISTRICT
5669 HOLLISTER AVE
GOLETA, CA 93117

Test Address:

FOOTHILL SCHOOL
711 RIBERADRIIVE
SANTA BARBARA, CA 93111

Email: jwalker@goletak12.ca.us
Phone: (805) 681-1231

Sample Date: September 28, 2017
Date Received: October 4, 2017
Analysis Date:
Report Date: October 6, 2017
Sample Location: Room 3

Test / COC #: 1076192
Sample ID: 1076192-3

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	3.2 ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 4

Test / COC #: 1062628
Sample ID: 1062628-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 ET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 5

Test / COC #: 1062624
Sample ID: 1062624-1

CERTIFICATE OF WATER ANALYSIS

Table with 4 columns: TEST ITEM, RESULT, ACCEPTABLE RANGE, DETERMINATION. Row 1: LEAD, ND ppb, 0 to 15 ppb, Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; uS/cm = microSiemens per centimeter
N = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: http://water.epa.gov/drink/contaminants/index.cfm

Handwritten signature of Carlos Ochoa

Carlos Ochoa, Quality Control Manager



ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 6

Test / COC #: 1062616
Sample ID: 1062616-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



 Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 7

Test / COC #: 1062598
Sample ID: 1062598-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; **cfu** = colony forming units; **mg/L** = milligrams per liter; **ntu** = nephelometric turbidity units
pH = acidity/alkalinity units; **ppm** = parts per million; **ppb** = parts per billion; **µS/cm** = microSiemens per centimeter
N = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
ET = Analyte detected; **ND** = Analyte not detected at or above the detection limit; **NR** = Not reported; **dry** = Sample results reported on a dry weight basis.
RPT = Relative percent difference; **V** = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 8

Test / COC #: 1062599
Sample ID: 1062599-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 PT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager

Test Address:ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 9Test / COC #: 1062606
Sample ID: 1062606-1**CERTIFICATE OF WATER ANALYSIS**

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; **cfu** = colony forming units; **mg/L** = milligrams per liter; **ntu** = nephelometric turbidity units**pH** = acidity/alkalinity units; **ppm** = parts per million; **ppb** = parts per billion; **µS/cm** = microSiemens per centimeter**U** = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.**DET** = Analyte detected; **ND** = Analyte not detected at or above the detection limit; **NR** = Not reported; **dry** = Sample results reported on a dry weight basis.**RPD** = Relative percent difference; **V** = Indicates that the analyte was detected in both the sample and the associated method blank.**I** = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.**Z** = too many colonies were present for accurate counting**CONCLUSION: PASS**

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



Carlos Ochoa, Quality Control Manager



ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 10

Test / COC #: 1062601
Sample ID: 1062601-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	9.0 ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 11

Test / COC #: 1062604
Sample ID: 1062604-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



 Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

GOLETA UNION SCHOOL DISTRICT
5669 HOLLISTER AVE
GOLETA, CA 93117

Test Address:

FOOTHILL SCHOOL
711 RIBERADRIIVE
SANTA BARBARA, CA 93111

Email: jwalker@goletak12.ca.us
Phone: (805) 681-1231

Sample Date: September 28, 2017
Date Received: October 4, 2017
Analysis Date: October 6, 2017
Report Date: October 6, 2017
Sample Location: Room 12

Test / COC #: 1076192
Sample ID: 1076192-4

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	4.1 ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 13

Test / COC #: 1062627
Sample ID: 1062627-1

CERTIFICATE OF WATER ANALYSIS

Table with 4 columns: TEST ITEM, RESULT, ACCEPTABLE RANGE, DETERMINATION. Row 1: LEAD, ND ppb, 0 to 15 ppb, Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; uS/cm = microSiemens per centimeter
ND = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
ET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: http://water.epa.gov/drink/contaminants/index.cfm

Handwritten signature of Carlos Ochoa
Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 14

Test / COC #: 1062623
Sample ID: 1062623-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



 Carlos Ochoa, Quality Control Manager



ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 15

Test / COC #: 1062621
Sample ID: 1062621-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



 Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 16

Test / COC #: 1062615
Sample ID: 1062615-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



 Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 17

Test / COC #: 1062608
Sample ID: 1062608-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	5.6 ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 ND = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 18a

Test / COC #: 1062607
Sample ID: 1062607-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	52.7 ppb	0 to 15 ppb	*** FAIL ***

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 ET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 .PT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: * FAIL *****

Some or all of the tested parameters do not meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels (MCLs) for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 19

Test / COC #: 1062605
Sample ID: 1062605-1

CERTIFICATE OF WATER ANALYSIS

Table with 4 columns: TEST ITEM, RESULT, ACCEPTABLE RANGE, DETERMINATION. Row 1: LEAD, ND ppb, 0 to 15 ppb, Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; uS/cm = microSiemens per centimeter
U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
.PT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: http://water.epa.gov/drink/contaminants/index.cfm

Handwritten signature of Carlos Ochoa

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 20

Test / COC #: 1062618
Sample ID: 1062618-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



 Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 21

Test / COC #: 1062617
Sample ID: 1062617-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; **cfu** = colony forming units; **mg/L** = milligrams per liter; **ntu** = nephelometric turbidity units
pH = acidity/alkalinity units; **ppm** = parts per million; **ppb** = parts per billion; **µS/cm** = microSiemens per centimeter
U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
DET = Analyte detected; **ND** = Analyte not detected at or above the detection limit; **NR** = Not reported; **dry** = Sample results reported on a dry weight basis.
RPD = Relative percent difference; **V** = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FH/ HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Room 22/23

Test / COC #: 1062629
Sample ID: 1062629-1

CERTIFICATE OF WATER ANALYSIS

Table with 4 columns: TEST ITEM, RESULT, ACCEPTABLE RANGE, DETERMINATION. Row 1: LEAD, 5.0 ppb, 0 to 15 ppb, Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; uS/cm = microSiemens per centimeter
U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
ET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
PT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: http://water.epa.gov/drink/contaminants/index.cfm

Handwritten signature of Carlos Ochoa

Carlos Ochoa, Quality Control Manager



ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Office

Test / COC #: 1062612
Sample ID: 1062612-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 DET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RPT = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>



 Carlos Ochoa, Quality Control Manager



ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Outside Office Fount

Test / COC #: 1062611
Sample ID: 1062611-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	7.8 ppb	0 to 15 ppb	Pass

BDL = Below detection limit; **cfu** = colony forming units; **mg/L** = milligrams per liter; **ntu** = nephelometric turbidity units
pH = acidity/alkalinity units; **ppm** = parts per million; **ppb** = parts per billion; **µS/cm** = microSiemens per centimeter
U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
DET = Analyte detected; **ND** = Analyte not detected at or above the detection limit; **NR** = Not reported; **dry** = Sample results reported on a dry weight basis.
RPT = Relative percent difference; **V** = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Outside Mpr Front

Test / COC #: 1062622
Sample ID: 1062622-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	19.5 ppb	0 to 15 ppb	*** FAIL ***

BDL = Below detection limit; cfu = colony forming units; mg/L = milligrams per liter; ntu = nephelometric turbidity units
 pH = acidity/alkalinity units; ppm = parts per million; ppb = parts per billion; µS/cm = microSiemens per centimeter
 U = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
 ET = Analyte detected; ND = Analyte not detected at or above the detection limit; NR = Not reported; dry = Sample results reported on a dry weight basis.
 RP = Relative percent difference; V = Indicates that the analyte was detected in both the sample and the associated method blank.
 I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
 Z = too many colonies were present for accurate counting

CONCLUSION: * FAIL *****

Some or all of the tested parameters do not meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels (MCLs) for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Test Address:

ROBERT MATHENY
711 RIBERA DR
SANTA BARBARA, CA 93111

Email: rmatheny@goleta.k12.ca.us
Phone: (805) 681-1231

Sample Date: August 7, 2017
Date Received: August 14, 2017
Analysis Date: August 21, 2017
Report Date: August 21, 2017
Sample Location: Outside Upper Fount

Test / COC #: 1062630
Sample ID: 1062630-1

CERTIFICATE OF WATER ANALYSIS

TEST ITEM	RESULT	ACCEPTABLE RANGE	DETERMINATION
LEAD	ND ppb	0 to 15 ppb	Pass

BDL = Below detection limit; **cfu** = colony forming units; **mg/L** = milligrams per liter; **ntu** = nephelometric turbidity units
pH = acidity/alkalinity units; **ppm** = parts per million; **ppb** = parts per billion; **µS/cm** = microSiemens per centimeter
N = Indicates that the compound was analyzed for but not detected. The value associated with the qualifier shall be the laboratory method detection limit.
ET = Analyte detected; **ND** = Analyte not detected at or above the detection limit; **NR** = Not reported; **dry** = Sample results reported on a dry weight basis.
PT = Relative percent difference; **V** = Indicates that the analyte was detected in both the sample and the associated method blank.
I = The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z = too many colonies were present for accurate counting

CONCLUSION: PASS

All of the tested parameters meet the Environmental Protection Agency's (EPA) Primary (health-related) Drinking Water Standards maximum contaminant level goals for human consumption, as well as the FHA/HUD general established statutes for maximum contaminant levels for water potability.

The EPA is responsible for the National Primary Drinking Water Regulations, which are health-related standards that establish the Maximum Contaminant Levels. MCLs are the maximum permissible level of a contaminant in water delivered to users of a public water system. MCLs are enforceable under the Safe Drinking Water Act. National Primary Drinking Water Regulations can be found on the web at: <http://water.epa.gov/drink/contaminants/index.cfm>

Carlos Ochoa, Quality Control Manager